

## Soil Moisture

**L. L. Boersma, D. Kirkham, D. Norum,  
R. Ziemer, J. C. Guitjens, J. Davidson,  
and J. N. Luthin**

Infiltration continues to occupy the attention of soil physicists and engineers. A theoretical and experimental analysis of the effect of surface sealing on infiltration by *Edwards and Larson [1969]* showed that raindrops reduced the infiltration rate by as much as 50% for a two-hour period of infiltration. The effect of raindrops on the surface infiltration rate of soils has been investigated by *Seginer and Morin [1970]* who used an infiltration model based on the Horton equation. The effect of antecedent moisture on infiltration rate was shown by *Powell and Beasley [1967]* to be dependent on crop cover, degree of aggregation, and bulk density. The effect of snow cover and type of frost on the soil infiltration rate has been studied by *Haupt [1967]* on small plots in the Sierra Nevada Mountains in California. The steady infiltration from a shallow, circular, inundated area on the horizontal surface of a semi-infinite porous medium is treated by a method of linearization by *Wooding [1968]*.

The infiltration law of Green and Ampt is used to analyze the infiltration into heterogeneous profiles by *Childs and Bybordi [1969]*.

The one-dimensional infiltration redistribution, and evaporation and drainage of water from a soil was investigated by using a numerical method by *Hanks et al. [1969]*. The computed results compared favorably with measured results. Extensions of existing quasi analytical methods for solving the nonlinear Fokker-Planck equation by describing water movement in two- and three-dimensional transient and steady systems are discussed by *Philip [1968a, 1968b]*.

---

L. L. Boersma is with the Department of Soils, Oregon State University, Corvallis, Oregon 97331. D. Kirkham is with the Department of Agronomy, Iowa State University, Ames, Iowa 50010. D. Norum is with the Department of Agricultural Engineering, University of Saskatchewan, Saskatoon, Saskatchewan, Canada. R. Ziemer is with the Forest Experiment Station, Arcata, California 95521. J. C. Guitjens is with the Department of Soil and Water Science, University of Nevada, Reno, Nevada 89507. J. Davidson is with the Department of Agronomy, Oklahoma State University, Stillwater, Oklahoma 74074. J. N. Luthin is with the Department of Water Science and Engineering, University of California, Davis, California.

A simplified picture of the infiltration of water into sands is presented by *Smith [1967]* who uses conventional concepts of capillary forces and gravity. The soil water profiles after the cessation of infiltration, both with and without evaporation from the soil surface, have been investigated in the field by *Davidson et al. [1969]* and compared with theory. Similar work is reported by *Gardner et al. [1970]*, *Staple [1969]*, *Rubin [1967]*, *Rose [1968a, 1968b, 1969c]*, *Remson [1967]*, and *Ibrahim and Brutsaert [1967]*.

The applicability of Darcy's law to unsaturated flow continues to receive attention in an experiment performed by *Thames and Evans [1968]*. They found a linear relationship between flux and gradient only during the early stages of infiltration. Nonlinearity appeared at low gradients over a wide range of water contents. *Bondarenko [1968]* found that capillary flow velocity at low pressure gradients is not proportional to the gradient and that for hydrogen bonded liquids Darcy's law is not generally valid. Additional work is reported by *Swartzendruber [1968]*, *Olson and Swartzendruber [1968]*, *Stark [1968]*, *Wright [1968]*, and *Miller et al. [1969]*.

A comprehensive review of the methods used to solve the dispersion equations for miscible fluids in two and three dimensions is given by *Shamir and Harleman [1967a, 1967b]*. An improved numerical method is presented, and the procedures have been checked against several simple models.

The problem of the dispersion at the interface of two miscible fluids that are different in density and viscosity has been studied by *Li and Yeh [1968]* and *Bachmat and Elrich [1970]*. Solutions are presented for the dispersion at the interface of liquids in two-dimensional flow.

The effect of an irregular, oscillating air flow in soils induced by turbulence in the atmosphere on the transport of water vapor and oxygen in soils is the subject of an analysis by *Scotter and Raats [1968]*. Conditions of dynamic similarity for the simultaneous motions of pairs of miscible constituents in porous mediums were presented by *Raats and Scotter [1968]*. Miscible displacement experiments performed on unsaturated glass beads gave break-through curves that compared to similar curves for saturated flow, shifted to the left [*Krupp and Elrick, 1968*]. The shift is attributed to the slow release of stagnant water held in the larger pores. The movement of water in response to thermal gradients has been investigated by *Cassel et al. [1969]*, *Hoekstra [1969]*, *Kulik [1968]*, *Rose [1968a]*,

1968b, 1968c], Sartz [ 1969 ] , and Weeks et al, [1968].

The bulk transfer of water due to temperature gradients has been studied by Benz et al. [ 1968] in the field under conditions of a high water table, saline soil, and artesian pressure. Benz et al. found that a lowering of the water table during the winter months was due to the upward migration of water towards the colder soil surface. The modification of soil temperature due to the temperature of the infiltration water has been studied by Wierenga et al. [ 1970] .

Evaporation from the soil has received attention. Numerical methods are generally used to solve the appropriate equation by Whisler et al. [ 1968a, 1968b] and Bresler and Hanks [1969]. Experimental data are presented by Black et al. [ 1969 ] , Hellar [ 1968 ] , Fritton et al. [ 1967 ] , Hanks et al. [ 1967 ] , Bresler and Kemper [ 1970 ] , Gardner and Gardner [ 1969 ] , and Fritton et al. [1970].

The extensive literature on drainage theory has been extended by Warrick and Kirkham [1969] and Powers et al. [1967] to include the seepage of ponded water into full ditch drains. The effect of the capillary fringe on practical drainage design was examined in the field by means of an electrical resistance network by Lembke [1969] . He concluded that the additional flow rate due to the capillary fringe is probably of no significance in the design of drainage systems. An exhaustive analysis has been made of the Dupuit-Forchheimer theory and its consequences by Kirkham [ 1967] . The limits of usefulness of drainage equations based on Dupuit-Forchheimer theory are presented. A finite difference method for the solution of steady state free surface problems has been presented by Jeppson [ 1968a, 1968b] . The method consists of getting a solution in the  $\phi, \psi$  plane with the coordinate directions  $x$  and  $y$  considered as dependent variables. Solutions are presented for several problems in which capillary effects are ignored (see also Jeppson and Nelson [ 1970] ). The steady downward flow to a water table, which includes a partially saturated zone, is analyzed by Arbajbhirama and Kridakoran [1968] by using the Scott-Corey equation describing the change in capillary pressure during steady downward flow of a wetting liquid. Solutions of the Boussinesq equation were compared to a viscous flow model for transient drainage of sloping land by Chauhan et al. [ 1968] .

The measurement of the hydraulic conductivity of unsaturated soils continues to be a subject for investigation and development. Transient flow data obtained during horizontal infiltration were used by Vachaud [ 1967 ] to calculate the unsaturated hydraulic conductivity of two soils.

The measurement of entrapped gas in relation to unsaturated flow has been investigated by Debacker [1967] . He used a pressure cell as an air pycrometer to measure the volume of the free gas phase during unsaturated flow conditions. Peck [1969] has studied the entrapment and stability of air bubbles in soil.

A theory explaining the effect of entrapped air on the transient drainage of soil was developed and tested on a one-dimensional model [Norum and Luthin, 1968]. It

was shown that barometric variations have little effect on the entrapped air when the draining column is open at both ends; however, when the column is closed at the bottom, an increase in atmospheric pressure lowers the water table, and a decrease in atmospheric pressure causes a water table rise. Additional evidence on the effect of barometric fluctuations on water table levels was furnished by van Hylckama [1968] who showed a diurnal water table fluctuation that was correlated with barometric fluctuations. Finite difference methods have been employed to determine the surface of seepage and the free water surface around a well in a pumped unconfined aquifer by Taylor and Luthin [ 1969] . Finite difference methods have been used to study unsaturated ground-water flow by Green et al. [ 1970] and Hornberger and Remson [ 1970] . Steady state seepage in an inclined soil slab was studied by Whisler [ 1969 ] using an electric analog, and transient flow was studied by Rubin [1968].

By representing the hydraulic conductivity as an exponential function of moisture potential, Philip [1968b] has solved the nonlinear equation for steady flow from buried point sources and spherical cavities.

Philip's solution of the concentration dependent diffusion equation has been adapted to horizontal infiltration into partly saturated porous materials by an approximation of the functions relating moisture content suction and moisture content capillary conductivity [Brutsaert, 1968b, 1968c]. In addition, Jeppson [ 1968b] presents some solutions to steady state, free surface seepage from axisymmetric ponds to a drain layer at a finite depth. These solutions are obtained by finite difference methods. Additional work on the diffusion equation has been done by Brutsaert and Weisman [1970] . The radial flow of soil moisture to a cylindrical sink has been examined by Drake et al. [ 1969] .

The flow toward a single plant root based upon potential theory is developed by Molz et al. [ 1968 ] . Their model is based upon an infinite soil mass that is initially at a uniform moisture content. The relationship between moisture content and diffusivity for the soil studied is represented by an exponential function.

Field measurements using flow cells for measuring the conductivity, acidity, and rate of water flow are described by Cole [ 1968 ] . The streaming potential has been used by Abaza and Clyde [ 1969] for measuring the rate of flow through porous media. The use of the neutron probe for measuring the water content of several soils in southern Italy led Cotecchia et al. [ 1968] to conclude that the measurement of water content by thermal neutron counts does not provide a sufficient guarantee of accuracy. A comprehensive survey of world-wide research and practice with nuclear meters is reported by Smith and Womack [ 1968 ] . The use of laboratory permeameters and the relative flow along the boundary as contrasted to the inner matrix were examined by Worcester et al. [1968]. They found a higher hydraulic conductivity in the outer zone for fine materials but a lower conductivity in the outer zone for coarse materials. The asymmetrical distribution of temperature around a point source in a porous media has

been used by *Byrne et al. [ 1967 ]* to measure the water flux. Flow velocities of  $10^{-4}$  cm sec<sup>-1</sup> were readily measured. In addition to the point source instrument, *Byrne et al. [ 1968 ]* developed a line source instrument for measuring the flow of water in soil.

The thermocouple psychrometer uses the relationship between water potential and the ratio of actual and saturated vapor pressures, and papers on the use of the thermocouple psychrometer include those by *Rawlins and Dalton [ 1967 ]*, *Oster et al. [ 1969 ]*, and *Hoffman et al. [ 1969 ]*. A moisture flow meter was developed by *Cary [ 1968, 1970 ]*. Additional work on measuring devices was done by *Watson and Jackson [ 1967 ]*, *Weeks and Richards [1967 ]*, *Wendt et al. [ 1967 ]*, *Watson [ 1967b ]*, *Cassel et al. [ 1968 ]*, *Selim et al. [1970]*, and *Topp et al. [ 1967 ]*. *Klock et al. [ 1969 ]* used a mercury injection method to determine pore size distribution. Osmotic tensiometers were investigated by *Peck and Rabbidge [ 1969 ]*, and radioactive tracers were investigated by *Mokady and Zaslovsky [ 1967 ]*.

Probability statistics were used by *Brutsaert [ 1968a ]* in the formation of a porous media model. The methods developed by *Childs and Collis-George*, and *Marshall* were then used to calculate the soil hydraulic conductivity. Experimental evidence gathered by *Greenberg et al. [1968]* shows a temperature dependence of the intrinsic permeability. They attribute this dependence to microstructural rearrangement in the matrix geometry of mediums having a rough or irregular surface texture. Similar experiments with smooth surfaced vitrified quartz showed no temperature effect. For orthotropic media (three mutually perpendicular planes of structural symmetry), it has been shown by *Szabo [1968]* that the Mohr circle representation of the transformation of the permeability components can be defined. Additional work on the quantitative relationship between hydraulic conductivity and the exchangeable sodium was done by *Yaron and Thomas [ 1968 ]* who present an empirical relationship based on experimental evidence.

In a series of papers, *Low et al. [1968a, 1968b]* develop thermodynamic methods for calculating from the water adsorption isotherms the change in unfrozen water content of a partially frozen soil with change in temperature at a constant pressure or with change in pressure at constant temperature.

Hysteresis is taken into account in numerical analyses of soil moisture movement by *Whisler and Watson [1969]*, *Remson et al. [1967]*, and *Ibrahim and Brutsaert [ 1968 ]*.

The powerful numerical method of finite elements is used by many investigators [ *Volker, 1969; McCorquodale, 1970; Guymon, 1970; Javandel and Witherspoon, 1968*] to solve a variety of soil moisture movement problems.

*Smith et al. [ 1967 ]*, *Ligon [ 1969 ]*, and *Ryhiner and Pankow [ 1969 ]* describe gamma radiation equipment that can be used in the field for the detection of changes in soil moisture. The main advantage of the gamma radiation equipment over the neutron method is that moisture changes in relatively small layers (1/2-inch

thickness) can be detected.

Soil physicists are obviously taking more interest in soil moisture movement in swelling and shrinking soils as several papers [*Collis-George and Lal, 1970; Philip and Smiles, 1969; Smiles and Rosenthal, 1968; Philip, 1969a, 1969b*] have been published on this subject.

Probably the most comprehensive review of the physics of soil moisture movement is given in the *Proceedings of the Wageningen Symposium [International Association of Scientific Hydrology, 1968]*. Over 100 papers with authors from more than 40 countries cover the various facets of soil moisture including determination of soil moisture and soil moisture potential, determination of soil moisture properties, infiltration, mathematics of unsaturated flow, evaporation, soil moisture extraction by plants, water transport due to temperature gradients, and recharge of ground water.

Other excellent review articles include those of *Childs [1967]* on soil moisture theory, *Stallman [ 1967 ]* on flow in the zone of aeration, *van Schilfhaarde [ 1970 ]* on flow to drains, *Bear [ 1970 ]* on immiscible displacement, and *Groenevelt and Bolt [ 1969 ]* on nonequilibrium thermodynamics. Books devoted to the physics of soil moisture are those by *Childs [ 1969 ]* and *Bear et al. [1968]*.

The review given here is not complete and additional articles are given to indicate the areas in which research is being conducted.

#### Acknowledgment

This paper is the report of the Committee on the Physics of Soil Moisture, American Geophysical Union.

#### BIBLIOGRAPHY

- Abaza, M. I. A., and C. G. Clyde, Evaluation of the rate of flow through porous media using electrokinetic phenomena, *Water Resour. Res.*, 5(2), 470-483, 1969.
- Ahmed, N., and D. K. Sunada, Nonlinear flow in porous media, *J. Hydraul. Div., Amer. Soc. Civil Eng.*, 95, 1847-1857, 1969.
- Arbajbharama, A., and C. Kridakoran, Steady downward flow to a water table, *Water Resour. Res.*, 4(6), 1249-1257, 1968.
- American Society of Agricultural Engineers, Modern infiltration theory in hydrologic analysis: A symposium, *Trans. ASAE*, 10, 378-410, 1967.
- Bachmat, Y., and D. E. Elrick, Hydrodynamic instability of miscible fluids in a vertical porous column, *Water Resour. Res.*, 6(1), 156-171, 1970.
- Banin, A., B. G. Davey, and P. F. Low, Effect of membrane pore size on the measurement of water tension in bentonite suspensions, *Soil Sci. Soc. Amer. Proc.*, 32, 306-309, 1968.
- Basak, P., and M. Anandakrishnan, Depth dependent hydraulic conductivity, *Soil Sci.*, 109, 351-354, 1970.
- Bear, J., Two-layered flows in porous media, *Advan. Hydrosci.*, 6, 141-252, 1970.
- Bear, J., D. Zaslavsky, and S. Irmay, *Physical Principles of Water Percolation and Seepage*, 465 pp., Unesco, Paris, 1968.
- Bell, J. P., and C. W. O. Eeles, Neutron random counting error in terms of soil moisture for nonlinear calibration curves, *Soil Sci.*, 103, 1-3, 1967.
- Bisal, F., Infiltration rate as related to rainfall energy, *Can. J. Soil Sci.*, 47, 33-37, 1967.
- Black, T. A., W. R. Gardner, and G. W. Thurtell, The prediction of evaporation, drainage, and soil water storage for a bare soil; *Soil Sci. Soc. Amer. Proc.*, 33, 655-660, 1969.

- Bolt, G. H., and P. H. Groenevelt, Coupling phenomena as a possible cause of 'non-Darcian' behaviour of water in soil, *Bull. Int. Ass. Sci. Hydrol.*, 14(2), 17-26, 1969.
- Bondarenko, N. P., Bingham flow in capillary porous media, *Trans. Int. Congr. Soil Sci. 9th*, Adelaide, Australia, 1, 205-212, 1968.
- Bouwer, H., Infiltration of water into nonuniform soil, *J. Irrig. Drain. Div., Amer. Soc. Civil Eng.*, 95, 451-462, 1969.
- Bouwer, H., Theory of seepage from open channels, *Advanc. Hydrosci.*, 5, 121-172, 1969.
- Bouyoucos, G. J., and R. L. Cook, Measuring the relative humidity of soils at different moisture contents by the gray hydrocal hydrometer, *Soil Sci.*, 104, 297-305., 1967.
- Bresler, E., and R. J. Hanks, Numerical method for estimating simultaneous flow of water and salt in unsaturated soils, *Soil Sci. Soc. Amer. Proc.* 33, 827-832, 1969.
- Bresler, E., and W. D. Kemper, Soil-water evaporation as affected by wetting methods and crust formation, *Soil Sci. Soc. Amer. Proc.*, 34, 3-8, 1970.
- Bresler, E., W. D. Kemper, and R. J. Hanks, Infiltration, redistribution, and subsequent evaporation of water from soil as affected by wetting rate and hysteresis, *Soil Sci. Soc. Amer. Proc.*, 33, 832-840, 1969.
- Bruch, J. C., Jr., Two-dimensional dispersion experiments in a porous medium, *Water Resour. Res.*, 6(3), 791-800, 1970.
- Brutsaert, W., The permeability of a porous medium determined from certain probability laws for pore size distribution, *Water Resour. Res.*, 4(2), 425-434, 1968a.
- Brutsaert, W., The adaptability of an exact solution to horizontal infiltration, *Water Resour. Res.*, 4(4), 785-789, 1968b.
- Brutsaert, W., A solution for vertical infiltration into a dry, porous medium, *Water Resour. Res.*, 4(5), 1031-1038, 1968c.
- Brutsaert, W., and R. N. Weisman, Comparison of solution of a nonlinear diffusion equation, *Water Resour. Res.*, 6(2), 642-644, 1970.
- Bybordi, M., Moisture profiles in layered porous materials during steady-state infiltration, *Soil Sci.*, 105, 379-383, 1968.
- Bybordi, M., The vertical movement of water in stratified porous material 2. Transient stages of drainage to a water table, *Water Resour. Res.*, 5(3), 694-697, 1969.
- Byrne, G. F., J. E. Drummond, and C. W. Rose, A sensor for water flux in soil. 'Point source' instrument, *Water Resour. Res.*, 3(4), 1073-1078, 1967.
- Byrne, G. F., J. E. Drummond, and C. W. Rose, A sensor for water flux in soil 2, 'Line source' instrument, *Water Resour. Res.*, 4(3), 607-611, 1968.
- Benz, L. C., W. O. Willis, F. M. Sandoval, and R. H. Mickelson, Soil water translocation in a high water table area, *Water Resour. Res.*, 4(1), 95-101, 1968.
- Cary, J. W., Experimental measurements of soil-moisture hysteresis and entrapped air, *Soil Sci.*, 104, 174-180, 1967.
- Cary, J. W., An instrument for in situ measurements, of soil moisture flow and suction, *Soil Sci. Soc. Amer. Proc.*, 32, 3-5, 1968.
- Cary, J. W., Measuring unsaturated soil moisture flow with a meter, *Soil Sci. Soc. Amer. Proc.*, 34, 24-27, 1970.
- Cassel, D. K., A. W. Warrick, D. R. Nielsen, and J. W. Biggar, Soil-water diffusivity values based upon time dependent soil-water content distributions, *Soil Sci. Soc. Amer. Proc.*, 32, 774-777, 1968.
- Cassel, D. K., D. R. Nielsen, and J. W. Biggar, Soil-water movement in response to imposed temperature gradients, *Soil Sci. Soc. Amer. Proc.*, 33, 493-500, 1969.
- Chang, R. K., Component potentials and hysteresis in water retention by impacted clay soil aggregates, *Soil Sci.*, 105, 172-176, 1968.
- Chauhan, H. S., G. O. Schwab, and M. Y. Hamdy, Analytical and computer solutions of transient water tables for drainage of sloping land, *Water Resour. Res.*, 4, 573-579, 1968.
- Childs, E. C., Soil moisture theory, *Advan. Hydrosci.*, 4, 73-117, 1967.
- Childs, E. C., *An Introduction to the Physical Basis of Soil-Water Phenomena*, 493 pp., John Wiley, New York, 1969.
- Childs, E. C., and M. Bybordi, The vertical movement of water in stratified porous material 1. Infiltration, *Water Resour. Res.*, 5(2), 446-459, 1969.
- Cole, D. W., A system for measuring conductivity, acidity, and rate of water flow in a forest soil, *Water Resour. Res.*, 4(5), 1127-1136, 1968.
- Collis-George, N., and R. Lai, Infiltration into columns of swelling soil as studied by high speed photography, *Aust. J. Soil Res.*, 8, 195-207, 1970.
- Corey, J. C., and J. H. Horton, Movement of water tagged with <sup>2</sup>H, <sup>3</sup>H, and <sup>18</sup>O through acidic kaolinite soil, *Soil Sci. Soc. Amer. Proc.*, 32, 471-475, 1968.
- Corey, J. C., A. R. Voulogne, and J. H. Horton, Determination of soil density and water content by fast neutrons and gamma rays, *Water Resour. Res.*, 6(1), 223-229, 1970.
- Cotecchia, V., A. Inzaghi, E. Pirastru, and R. Ricchena, Influence of the physical and chemical properties of soil on measurements of water content using neutron probes, *Water Resour. Res.*, 4(5), 1023-1028, 1968.
- Davidson, J. M., L. R. Stone, D. R. Nielsen, and M. E. LaRue, Field measurement and use of soil-water properties, *Water Resour. Res.*, 5(6), 1312-1321, 1969.
- DeBacker, L. W., The measurement of entrapped gas in the study of unsaturated flow phenomena, *Water Resour. Res.*, 3(1), 245-249, 1967.
- DeBacker, L., and A. Klute, Comparison of pressure and suction methods for soil-water content-pressure-head determinations, *Soil Sci.*, 104, 46-55, 1969.
- Drake, R. L., F. J. Molz, I. Remson, and A. A. Fungaroli, Similarity approximation for the radial subsurface flow problem., *Water Resour. Res.*, 5(3), 673-684, 1969.
- Edwards, W. M., and W. E. Larson, Infiltration of water into soils as influenced by surface seal development, *Trans. ASAE*, 12, 463-465, 470, 1969.
- Farrell, D. A., E. L. Greacen, and W. E. Larson, The effect of water content on axial strain in a loam soil under tension and compression, *Soil Sci. Soc. Amer. Proc.*, 31, 445-450, 1967.
- Fink, D. H., Water repellency and infiltration resistance of organic film-coated soils, *Soil Sci. Soc. Amer. Proc.*, 34, 189-194, 1970.
- Fok, Y. S., Infiltration equation in exponential forms, *J. Irrig. Drain. Div., Amer. Soc. Civil Eng.*, 93(IR4), 125-135, 1967.
- Fok, Y. S., One-dimensional infiltration into layered soils, *J. Irrig. Drain. Div., Amer. Soc. Civil Eng.*, 96, 121-129, 1970.
- Fokkens, B., and J. Weijenberg, Measuring the hydraulic potential of ground water with the hydraulic potential probe, *J. Hydrol.*, 6, 306-313, 1968.
- Freeze, R. A., and J. Banner, The mechanism of natural ground water recharge and discharge. 2. Laboratory column experiments in field measurements, *Water Resour. Res.*, 6(1), 138-155, 1970.
- Fritton, D. D., Don Kirkham, and R. H. Shaw, Soil water and chloride redistribution under various evaporation potentials, *Soil Sci. Soc. Amer. Proc.*, 31, 599-603, 1967.
- Fritton, D. D., Don Kirkham, and R. H. Shaw, Soil-water evaporation, isothermal diffusion and heat and water transfer, *Soil Sci. Soc. Amer. Proc.*, 34, 183-189, 1970.
- Gardner, H. R., and W. R. Gardner, Relation of water application to evaporation, and storage of soil water, *Soil Sci. Soc. Amer. Proc.*, 33, 192-196, 1969.
- Gardner, W. R., D. Hillel, and Y. Benyamini, Post-irrigation movement of soil water. 1. Redistribution, *Water Resour. Res.*, 6(3), 851-861, 1970.
- Goldberg, D., and M. Shmueli, Drip irrigation-A method used under arid and desert conditions of high water and soil salinity, *Trans. ASAE*, 13, 38-40, 1970.
- Green, D. W., H. Dabiri, and C. F. Weinaug, Numerical modeling of unsaturated groundwater flow and comparison of the model to a field experiment, *Water Resour. Res.*, 6(3), 862-874, 1970.
- Greenberg, D. B., R. S. Cresap, T. A. Malone, Intrinsic permeability of hydrological porous mediums: Variation with temperature, *Water Resour. Res.*, 4(4), 791-800, 1968.
- Groenevelt, P. H., and G. H. Bolt, Non-equilibrium thermo-

- dynamics of the soil-water system, *J. Hydrol.*, 7, 358-388, 1969.
- Guymon, G. L., A finite element solution of the one-dimensional diffusion-convection equation, *Water Resour. Res.*, 6(1), 203-210, 1970.
- Hadas, A., Simultaneous flow of water and heat under periodic heat fluctuations, *Soil Sci. Soc. Amer. Proc.*, 32, 297-301, 1968.
- Hadas, A., and D. Hillel, An experimental study of evaporation from uniform soil columns in the presence of a water table, *Trans. Int. Congr. SoilSci.* 9th, 67-74, 1968.
- Hanks, R. J., H. R. Gardner, and M. L. Fairbourn, Evaporation of water from soils as influenced by drying with wind or radiation, *Soil Sci. Soc. Amer. Proc.*, 31, 593-598, 1967.
- Hanks, R. J., A. Klute, and E. Bresler, A numeric method for estimating infiltration, redistribution, drainage, and evaporation of water from soils, *Water Resour. Res.*, 5(5), 1064-1069, 1969.
- Haupt, H. F., Infiltration, overland flow, and soil movement on frozen and snow covered plots, *Water Resour. Res.*, 3(1), 145-161, 1967.
- Heller, J. P., The drying through the top surface of a vertical porous column, *Soil Sci. Soc. Amer. Proc.*, 32, 778-786, 1968.
- Herbert, R., Time variant ground water flow by resistance network analog, *J. Hydrol.*, 6, 237-264, 1968.
- Hickok, R. B., and H. B. Osborn, Some limitations on estimates of infiltration as a basis for predicting watershed runoff, *Trans. ASAE*, 12; 798-800, 803, 1969.
- Hill, J. N. S., and M. E. Summer, Effect of bulk density on moisture characteristics of soils, *Soil Sci.*, 103, 234-238, 1967.
- Hillel, D., and W.R. Gardner, Steady infiltration into crust-topped profiles, *Soil Sci.*, 107, 137-142, 1969.
- Hillel, D., and W. R. Gardner, Transient infiltration into crust-topped profiles, *Soil Sci.*, 109, 69-76, 1970.
- Hoekstra, P., Water movement and freezing pressures, *Soil Sci. Soc. Amer. Proc.*, 33, 512-518, 1969.
- Hoffman, G. J., and W. E. Splinter, Instrumentation for measuring water potential of an intact plant-soil system, *Trans. ASAE*, 11, 38-40, 42, 1969.
- Hoffman; G. J., W. N. Herkelrath, and R. S. Austin, Simultaneous cycling of Peltier thermocouple psychrometers for rapid water potential measurements, *Agron. J.*, 61, 597-601, 1969.
- Hornberger, G. M., and I. Remson, A moving boundary model of a one-dimensional saturated-unsaturated, transient porous flow system, *Water Resour. Res.*, 6(3), 898-904, 1970.
- Ibrahim, H. A., and W. Brutsaert, The recovery of infiltration capacity after drainage, *International Hydrology Symposium Proceedings, Ft. Collins, Colorado*, 1, pp. 227-234, Stechert and Hafner, Ft. Collins, Colo., 1967.
- Ibrahim, H. A., and W. Brutsaert, Intermittent infiltration into soils with hysteresis, *J. Hydraul. Div., Amer. Soc. Civil Eng.*, 94, 113-137, 1968.
- International Association of Scientific Hydrology, Water in the unsaturated zone, vol. 1, 2, *Proceedings of the Wageningen Symposium*, Unesco, Paris, 1968.
- Jackson, R. D., Osmotic effects on water flow through a ceramic filter, *Soil Sci. Soc. Amer. Proc.*, 31, 713-715, 1967.
- Jamison, V. C., and G. A. Thompson, Layer thickness changes in a clay-rich soil in relation to soil-water content changes, *Soil Sci. Soc. Amer. Proc.*, 31, 441-444, 1967.
- Javandel, I., and P. A. Witherspoon, Analysis of transient fluid flow in multi-layered systems, *Contrib. 124*, Water Resources Center, Department of Civil Engineering, University of California, Berkeley, Calif., 1968.
- Jensen, R. D., and A. Klute, Water flow in an unsaturated soil with a step-type initial water content distribution, *Soil Sci. Soc. Amer. Proc.*, 31, 289-296, 1967.
- Jeppson, R. W., Seepage from channels through layered porous mediums, *Water Resour. Res.*, 4(2), 435-445, 1968a.
- Jeppson, R. W., Axisymmetric seepage through homogeneous and nonhomogeneous porous mediums, *Water Resour. Res.* 4(6), 1277-1288, 1968b.
- Jeppson, R. W., and R. William Nelson, Inverse formulation and finite difference solution to partially saturated seepage from canals, *Soil Sci. Soc. Amer. Proc.*, 34, 9-14, 1970.
- Juncker, P. H., and J. J. Madison, Soil moisture characteristics of sandpeat mixes, *Soil Sci. Soc. Amer. Proc.*, 31, 5-8, 1967.
- Karadi, G., R. J. Krizek, and H. Elnaggar, Unsteady seepage flow between fully penetrating trenches, *J. Hydrol.*, 6, 417-430, 1968.
- Kijne, J. W., Influence of soil conditioners on infiltration and water movement in soils, *Soil Sci. Soc. Amer. Proc.*, 31, 8-13, 1967.
- Kirkham, D., Explanation of paradoxes in Dupuit-Forchheimer seepage theory, *Water Resour. Res.*, 3(2), 609-622, 1967.
- Kirkham, C. E., Fundamental flows in porous media, *Bull. Int. Ass. Sci. Hydrol.*, 13(2), 126-141, 1968.
- Klock, G. O., L. Boersma, and L. W. De Backer, Pore size distributions as measured by the mercury intrusion method and their use in predicting permeability, *Soil Sci. Soc. Amer. Proc.*, 33, 12-15, 1969.
- Koon, J. L., J. G. Hendrick, and R. E. Hermanson, Some effects of surface covered geometry on infiltration rate, *Water Resour. Res.*, 6(1), 246-253, 1970.
- Krupp, H. K., and D. E. Elrick, Miscible displacement in an unsaturated glass bead medium, *Water Resour. Res.*, 4(4), 809-815, 1968.
- Kulick, N. F., Thermal-gradient transport of water in sandy soils, *Sov. Soil Sci.*, 11, 1507-1520, 1968.
- Kunze, R. J., G. Uehara, and K. Graham, Factors important in the calculation of hydraulic conductivity, *Soil Sci. Soc. Amer. Proc.*, 32, 760-765, 1968.
- Lagerwerff, J. V., F. S. Nakayama, and M. H. Frere, Hydraulic conductivity related to porosity and swelling of soil, *Soil Sci. Soc. Amer. Proc.*, 33, 3-11, 1969.
- Laliberte, G. E., and R. H. Brooks, Hydraulic properties of disturbed soil materials affected by porosity, *Soil Sci. Soc. Amer. Proc.*, 31, 451-454, 1967.
- Laliberte, G. E., R. H. Brooks, and A. T. Corey, Permeability, calculated from desaturation data, *J. Irrig. Drain. Div., Amer. Soc. Civil Eng.*, 94, 57-71, 1968.
- Lang, A. R. G., Psychometric measurement of soil-water potential in situ under cotton plants, *Soil Sci.*, 106, 460-464, 1968.
- Lembke, W. D., The capillary fringe above a falling water table in drainage of a lake plain soil, *Trans. ASAE*, 12, 559-560, 563, 1969.
- Letey, J., and W. D. Kemper, Movement of water and salt through a clay water system: Experimental verification of Onsager reciprocal relation, *Soil Sci. Soc. Amer. Proc.*, 33, 25-29, 1969.
- Letey, J., W. D. Kemper, and L. Noonan, The effect of osmotic pressure gradients on water movement in unsaturated soil, *Soil Sci. Soc. Amer. Proc.*, 33, 15-18, 1969.
- Li, Wen-Hsiung, and Gom-Tsyh Yeh, Dispersion at the interface of miscible liquids in a soil, *Water Resour. Res.*, 4(2), 369-377, 1968.
- Ligon, J. T., Evaluation of the gamma transmission method for determining soil-water balance and evapotranspiration, *Trans. ASAE*, 12, 121-126, 1969.
- Low, P. F., P. Hoekstra, and D. M. Anderson., Some thermodynamic relationships for soils at or below the freezing point. 1. Freezing point depression and heat capacity, *Water Resour. Res.*, 4(2), 379-394, 1968a.
- Low; P. F., P. Hoekstra, and D. M. Anderson, Some thermodynamic relationships for soils at or below the freezing point. 2. Effects-of temperature and pressure on unfrozen soil water, *Water Resour. Res.*, 4(3), 541-544, 1968b.
- Luebs, R. E., M. J. Brown, and A. E. Laag, Determining water content of different soils by the neutron method, *Soil Sci.*, 106, 207-212, 1968.
- McCorquodale, J. A., The finite element method applied to unsteady non-Darcy flow, paper presented to 18th Annual Specialty Conference of Hydraulics Division, American Society of Civil Engineers, Minneapolis, Minn., August 1970.
- McDonald, P. M., Disposition of soil moisture held in temporary

- storage in large pores, *Soil Sci.*, 103, 139-143;1967.
- McNeal, B. L., Prediction of the effect of mixed-salt solutions on soil hydraulic conductivity, *Soil Sci. Soc. Amer. Proc.*, 32, 190-193, 1968.
- McNeal, B. L., D. A. Layfield, W. A. Norvell, and J. D. Rhoades, Factors influencing hydraulic conductivity of soils in the presence of mixed-salt solutions, *Soil Sci. Soc. Amer. Proc.*, 32, 187-190,1968.
- Mein, R. G., and A. K. Turner, A study of the drainage of irrigated sand dunes using an electrical resistance analogue, *J. Hydrol.*, 6, 1-14, 1968.
- Miller, R. J., A. R. Overman, and J. H. Peverly, The absence of threshold gradients in clay-water systems, *Soil Sci. Soc. Amer. Proc.*, 33, 183-187,1969:
- Mokady, R. S., and D. Zaslavsky, On the use of radioactive tracers in diffusion experiments, *Soil Sci. Soc. Amer. Proc.*, 31, 604-608,1967.
- Mokady, R. S., and E. Bresler, Reduced sodium exchange capacity in unsaturated flow, *Soil Sci. Soc. Amer. Proc.*, 32, 463-467,1968.
- Mokady, R. S., and P. F. Low, Simultaneous transport of water and salt through clays. 1. Transport mechanism, *Soil Sci*, 105, 112-131, 1968.
- Molz, F. J., I. Remson, A. A. Fungaroli, and R. L. Drake, Soil moisture availability for transpiration, *Water Resour. Res.*, 4(6), 1161-1169, 1968.
- Norum, D. I., and D. M. Gray, Infiltration equations from rate-of-advance data, *J. Irrig. Drain. Div., Amer. Soc. Civil Eng.*, 96, 111-119, 1970.
- Norum, D. I., and J. N. Luthin, The effects of entrapped air and barometric fluctuations on the drainage of porous mediums, *Water Resour. Res.* 4(2), 417-424, 1968.
- Oertli, J. J., Direction of water flow and potential difference, *Soil Sci.* 107, 315-322,1969.
- Olsen, H. W., Simultaneous fluxes of liquid and charge in saturated kaolinite, *Soil Sci: Soc. Amer. Proc.*, 33, 338-344, 1969.
- Olgon, T. C., and D. Swartzendruber, Velocity-gradient relationships for steady-state unsaturated flow of water in nonswelling artificial soils, *Soil Sci. Soc. Amer. Proc.*, 32, 457-462,1968.
- Oster, J. D., S. L. Rawlins, and R. D. Ingvalson, Independent measurement of matric and osmotic potential of soil water, *Soil Sci. Soc. Amer. Proc.*, 33, 188-192, 1969.
- Passioura, J. B., and I. R. Cowan, On solving the non-linear diffusion equation for the radial flow of water to roots, *Agr. Meteorol.* 5, 129-134, 1968.
- Peck, A. J., Entrapment, stability and persistence of air bubbles in soil water, *Aust. J. Soil Res.*, 7, 79-90, 1969.
- Peck, A. J., and R. M. Rabbidge, Design and performance of an osmotic tensiometer for measuring capillary potential, *Soil Sci. Soc. Amer. Proc.*, 33, 196-202, 1969.
- Philip, J. R., Extended techniques of calculation of soil-water movement with some physical consequences, *Trans. Int. Congr. Soil Sci. 9th*, Adelaide, Australia, 1, 1-9, 1968a.
- Philip, J. R., Steady infiltration from buried point sources and spherical cavities, *Water Resour. Res.*, 4(5), 1039-1047, 1968b.
- Philip, J. R., Moisture equilibrium in the vertical in swelling soils. 1. Basic theory, *Aust. J. Soil Res.*, 7, 99-120, 1969a.
- Philip, J. R., Moisture equilibrium in the vertical in swelling soils. 2. Application, *Aust. J. Soil Res.*, 7, 121-141, 1969b:
- Philip, J. R., Theory of infiltration, *Advan. Hydrosc.*, 5, 216-296,1969c.
- Philip, J. R., and D. E. Smiles, Kinetics of sorption and volume change in three-component systems, *Aust. J. Soil Res.*, 7, 1-19,1969.
- Poulovassilis, A., The effect of hysteresis of pore water on the hydraulic conductivity, *J. Soil Sci.*, 20, 52-56, 1969a.
- Poulovassilis, A., Steady-state potential and moisture profiles in layered porous media, *Soil Sci*, 107, 47-52, 1969b.
- Poulovassilis, A., Hysteresis of pore water in granular porous bodies, *Soil Sci*, 109, 5-12, 1970.
- Powell, G. M., and R. P. Beasley, Effect of erosion on water infiltration rates, 48 pp., *Res. Bull.* 922, University of Missouri, Columbia, Mo., 1967.
- Powers, W. L., D. Kirkham, and G. Snowden, Seepage of steady rainfall through soil into ditches of unequal water level heights, *Soil Sci. Soc. Amer. Proc.*, 31, 301-312, 1967.
- Prihar, S. S., and B. S. Sandhu, A rapid method of soil moisture determination, *Soil Sci.*, 105, 142-144, 1968.
- Raats, P. A. C., Steady gravitational convection induced by a line source of salt in a soil, *Soil Sci. Soc. Amer. Proc.*, 33, 483-487,1969.
- Raats, P. A. C., and A. Klute, Transport in soils: The balance of mass, *Soil Sci. Soc. Amer. Proc.*, 32, 161-165, 1968a.
- Raats, P. A. C., and A. Klute, Transport in soils: The balance of momentum, *Soil Sci. Soc. Amer. Proc.*, 32, 452-456, 1968&.
- kaats, P. A. C., and D. R. Sootter, Dynamically similar motion of two miscible constituents in porous mediums, *Water Resour. Res.*, 4(3), 561-568, 1968.
- Rawlins, S. L., and F. N. Dalton, Psychrometric measurement of soil-water potential without precise temperature control, *Soil Sci. Soc. Amer. Proc.*, 31, 297-301, 1967.
- Remson, I., A: A. Fungaroli, and G. M. Hornberger, Numerical analysis of soil-moisture systems, *J. Irrig. Drain. Div., Amer. Soc. Civil Eng.*, 93(IR3), 153-166, 1967.
- Rose, C. W., Water transport in soil with a daily temperature wave. 1. Theory and experiment, *Aust. J. Soil Res.*, 6, 31-44, 1968a.
- Rose, C. W., Water transport in soil with a daily temperature wave. 2. Analysis, *Aust. J. Soil Res.*, 6, 45-57, 1968b.
- Rose, C. W., Evaporation from bare soil under high radiation conditions, *Trans. Int. Congr. Soil Sci. 9th*, 57-66, 1968c.
- Rose, C. W., and A. Krishnan, A method of determining hydraulic conductivity characteristics for non-swelling soils in situ, and of calculating evaporation from bare soil, *Soil Sci.*, 103, 369-373, 1967.
- Rosen, M. J., Modification of the permeability of loess by electrolytes, *Soil Sci.*, 105, 51-56, 1968.
- Rubin, J., Numerical method for analyzing hysteresis-affected, post-infiltration redistribution of soil moisture, *Soil Sci. Soc. Amer. Proc.*, 31, 13-20, 1967.
- Rubin, J., Theoretical analysis of two-dimensional, transient flow of water in unsaturated and partly unsaturated soils, *Soil Sci. Soc. Amer. Proc.*, 32, 607-615, 1968.
- Ryhiner, A. H., and J. Pankow, Soil moisture measurement by the gamma transmission method, *J. Hydrol.*, 9, 194-205, 1969.
- Sartz, R. S., Soil water movement as affected by deep freezing, *Soil Sci. Soc. Amer. Proc.*, 33, 333-337, 1969.
- Saxton, K. E., and A. T. Lenz, Antecedent retention indexes predict soil moisture, *J. Hydraul. Div., Amer. Soc. Civil Eng.*, 93(HY4), 223-241, 1967.
- Scotter, D. R., and P. A. C. Raats, Dispersion in porous mediums due to oscillating flow, *Water Resour. Res.*, 4(6); 1201-1206, 1968.
- Selim, H. Magd, Don Kirkham, and M. Amemiya, A comparison of two methods for determining soil-water diffusivity, *Soil Sci. Soc. Amer. Proc.*, 34, 14-18, 1970.
- Seginer, I., and J. Morin, A model of surface crusting and infiltration of bare soils, *Water Resour. Res.*, 6(2), 629-633, 1970.
- Shamir, U. Y., and D. R. F. Harleman, Numerical solutions for dispersion in porous mediums, *Water Resour. Res.*, 3(2), 557-581, 1967a.
- Shamir, U. Y., and D. R. F. Harleman, Dispersion in layered porous media, *J. Hydraul. Div., Amer. Soc. Civil Eng.*, 93(HYS), 237-260,1967&.
- Sharma, M. L., and G. Uehara, Influence of soil structure on water relations in low humic latosols. 1. Water retention, *Soil Sci. Soc. Amer. Proc.*, 32, 765-770,1968a.
- Sharma, M. L., and G. Uehara, Influence of soil structure on water relations in low humic latosols. 2. Water movement, *Soil Sci. Soc. Amer. Proc.*, 32, 770-774, 1968&.
- Skaggs, R. W., L. E. Huggins, E. J. Monke, and G. R. Peters, Experimental evaluation of infiltration equations, *Trans. ASAE*, 12, 822-828, 1969.

- Smedema, L. B., and P. J. Zwermer, Fluctuations of the phreatic surface. I. Role of entrapped air under a temperature gradient, *Soil Sci.*, 103, 354-359, 1967.
- Sees, D. E., and G. B. Towner, The steady-state measurement of the relation between hydraulic conductivity and moisture content in soils, *Water Resour. Res.*, 4(5), 1029-1030, 1968.
- Smiles, D. E., and M. J. Rosenthal, The movement of water in swelling materials, *Aust. J. Soil Res.*, 6, 237-248, 1968.
- Smith, W. O., Infiltration in sands and its relation to groundwater recharge, *Water Resour. Res.*, 3(2), 539-555, 1967.
- Smith, E. M., T. H. Taylor, and S. W. Smith, Soil moisture measurement using gamma transmission techniques, *Trans. ASAE*, 10, 205-208, 1967.
- Smith, P. C., and L. M. Womack, The use of nuclear meters in soils investigations-A summary of worldwide research and practice, 142 pages, *Amer. Ass. Test. Mater. Spec. Tech. Publ* 412, 1968.
- Srinilta, S. A., D. R. Nielsen, and D. Kirkham, Steady flow of water through a two-layer soil, *Water Resour. Res.*, 5(5), 1053-1063, 1969.
- Stallman, R. W., Flow in the zone of aeration, *Advan. Hydrosoci.*, 4, 151-195, 1967.
- Staple, W. J., Comparison of computed and measured moisture redistribution following infiltration, *Soil Sci. Soc. Amer. Proc.*, 33, 840-847, 1969.
- Stark, K. P., Numerical solution of Navier Stokes. equations for flow through idealized porous materials, *Int. Ass. Hydrol. Pub.* 81(2), 635-649, 1968.
- Swartzendruber, D., The applicability of Darcy's law, *Soil Sci. Soc. Amer. Proc.*, 32, 11-18, 1968.
- Szabo, B. A., Permeability of orthotropic porous mediums, *Water Resour. Res.*, 4(4), 801-808, 1968.
- Talsma, T., Some aspects of three-dimensional infiltration, *Aust. J. Soil Res.*, 8, 179-184, 1970.
- Taylor, G. S., and J. N. Luthin, Computer methods for transient analysis of water table aquifers, *Water Resour. Res.*, 5(1), 144-152, 1969.
- Thames, J. L., and D. D. Evans, An analysis of vertical infiltration of water into soil columns, *Water Resour. Res.*, 4(4), 817-828, 1968.
- Todorovic, P., A stochastic model of longitudinal diffusion in porous media, *Water Resour. Res.*, 6(1), 210-222, 1970.
- Topp, G. C., Soil-water hysteresis measured in a sandy loam and compared with the hysteretic domain model, *Soil Sci. Soc. Amer. Proc.*, 33, 645-651, 1969.
- Topp, G. C., A. Klute, and D. B. Peters, Comparison of water content-pressure heat data obtained by equilibrium, steady-state, and unsteady-state methods, *Soil Sci. Soc. Amer. Proc.*, 31, 312-314, 1967.
- Ursic, S. J., Improved standards for neutron soil-water meters, *Soil Sci.* 104, 323-325, 1967.
- Vachaud, Georges, Determination of the hydraulic conductivity of unsaturated soils from an analysis of transient flow data, *Water Resour. Res.*, 3(3), 697-705, 1967.
- Van Hylckama, T. E. A., Water level fluctuation in evapotranspirometers, *Water Resour. Res.*, 4(4), 761-768, 1968.
- van Schilfgaarde, J., Theory of flow to drains, *Advan. Hydrosoci.*, 6, 43-106, 1970.
- Volker, R. E., Nonlinear flow in porous media by finite elements, *J. Hydraul. Div., Amer. Soc. Civil Eng.*, 95, 2093-2114, 1969.
- Waldron, L. J., and G. K. Constantin, Bulk volume and hydraulic conductivity changes during sodium saturation tests, *Soil Sci. Soc. Amer. Proc.*, 32, 175-179, 1968.
- Wang, F. C., and V. Lakshminarayana, Mathematical simulation of water movement through unsaturated nonhomogeneous soils, *Soil Sci. Soc. Amer. Proc.*, 32, 329-334, 1968.
- Warrick, A. W., and Don Kirkham, Determination of equivalent radii for half-tube and whole-tube drains in contact with an impermeable barrier, *Soil Sci. Soc. Amer. Proc.*, 32, 449-451, 1968.
- Warrick, A. W., and Don Kirkham, Two-dimensional seepage of ponded water to full ditch drains, *Water Resour. Res.*, 5(3), 685-693, 1969.
- Watson, C. L., B. L. McNeal, and J. Letey, The effect of surfactants on the hydraulic conductivity of salt affected soils, *Soil Sci.*, 107, 58-63, 1969.
- Watson, K. K., Response behavior of a tensiometer-pressure transducer system under conditions of changing pore air pressure, *Soil Sci.*, 104, 439-443, 1967a.
- Watson, K. K., The measurement of the hydraulic conductivity of unsaturated porous materials utilizing a zone of entrapped air, *Soil Sci. Soc. Amer. Proc.*, 31, 716-720, 1967b.
- Watson, K. K., Dynamic measurement of the hydrologic characteristics of unsaturated porous materials, *Trans. Int. Congr. Soil Sci.* 9th, 283-290, 1968.
- Watson, K. K., and R. D. Jackson, Temperature effects in a tensiometer-pressure transducer system, *Soil Sci. Soc. Amer. Proc.*, 31, 156-160, 1967.
- Weeks, L. V., and S. J. Richards, Soil-water properties computed from transient flow data, *Soil Sci. Soc. Amer. Proc.*, 31, 721-725, 1967.
- Weeks, L. V., S. J. Richards, and J. Letey, Water and salt transfer in soil resulting from thermal gradients, *Soil Sci. Soc. Amer. Proc.*, 32, 193-197, 1968.
- Wendt, C. W., J. R. Runkles, and R. H. Haas, The measurement of water loss by Mesquite (*Prosopis glandulosa* var. *glandulosa* Torr.) using the thermoelectric method, *Soil Sci. Soc. Amer. Proc.*, 31, 161-164, 1967.
- Wen-Hsiung; L., Dispersion from sources in nonuniform seepage flow, *J. Hydraul. Div., Amer. Soc. Civil Eng.*, 93(HY3), 65-79, 1967.
- Whisler, F. D., Analyzing steady-state flow in an inclined soil slab with an electric analog, *Soil Sci. Soc. Amer. Proc.*, 33, 19-25, 1969.
- Whisler, F. D., and K. K. Watson, Analysis of infiltration into draining porous media, *J. Irrig. Drain. Div., Amer. Soc. Civil Eng.*, 95, 481-491, 1969.
- Whisler, F. D., A. Klute, and R. J. Millington, Analysis of steady-state evapotranspiration from a soil column, *Soil Sci. Soc. Amer. Proc.*, 32, 167-174, 1968a.
- Whisler, F. D., A. Klute, and D. B. Peters, Soil-water diffusivity from horizontal infiltration, *Soil Sci. Soc. Amer. Proc.*, 32, 6-11, 1968b.
- White, N. F., H. R. Kuke, D. K. Sunada, and A. T. Corey, Physics of desaturation in porous materials, *J. Irrig. Drain. Div., Amer. Soc. Civil Eng.*, 96, 165-191, 1970.
- Wierenga, P. J., R. M. Hagan, and D. R. Nielsen, Soil temperature profiles during infiltration and redistribution of cool and warm irrigation water, *Water Resour. Res.*, 6(1), 230-238, 1970.
- Wolff, R. G., Field arid, laboratory determinations of the hydraulic diffusivity of a confining bed, *Water Resour. Res.*, 6(1), 193-203, 1970.
- Wooding, R. A., Steady infiltration from a shallow circular pond, *Water Resour. Res.*, 4, (6) 1259-1273, 1968.
- Worcester, B. J., P. H. McIntosh, and L. G. Wilson, Boundary flow in laboratory permeameters used to simulate recharge by cyclic water spreading, *Water Resour. Res.*, 4(3), 591-595, 1968.
- Wright, D. E., Nonlinear flow through granular media, *J. Hydraul. Div., Amer. Soc. Civil Eng.*, 94(HY4), 851-872, 1968.
- Yamaguchi, M., W. J. Flocker, and F. D. Howard, Soil atmosphere as influenced by temperature and moisture, *Soil Sci. Soc. Amer. Proc.*, 31, 164-167, 1967.
- Yaron, B., and G. W. Thomas, Soil hydraulic conductivity as affected by sodic water, *Water Resour. Res.*, 4(3), 545-552, 1968.
- Young, C. E., Jr., Water table, soil moisture, and oxygen diffusion relationships on two drained wetland forest sites, *Soil Sci.*, 107, 220-222, 1969.
- Youngs, E. G., An estimation of sorptivity for infiltration studies from moisture moment considerations, *Soil Sci.*, 106, 157-163, 1968.
- Zaslavsky, D., Saturation-unsaturation transition in infiltration to a nonuniform soil profile, *Soil Sci.*, 107, 160-165, 1969.